L Number	Hits	Search Text	DB	Time stamp
1	1289	((built adj in adj self adj test) or ("BIST")) and buffer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 10:23
2	214	(((built adj in adj self adj test) or ("BIST")) and buffer) and (compar$4 with buffer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 10:24
3	158	((((built adj in adj self adj test) or ("BIST")) and buffer) and (compar$4 with buffer)) and @ad<20010626	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 10:24
—	19	(KU-JOSEPH KU-JOSEPH-W KU-JOSEPH-WEIYEH).in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 10:37
—	2	6230290.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 15:53
—	2702	((built adj in adj self adj test) or ("BIST"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 10:54
—	2109	(((built adj in adj self adj test) or ("BIST"))) and memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 15:29
—	1011	((built adj in adj self adj test) or ("BIST")) with memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 15:30
—	438	(((built adj in adj self adj test) or ("BIST")) with memory) and tester	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 15:30
—	155	((((built adj in adj self adj test) or ("BIST")) with memory) and tester) and algorithm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 15:31
—	122	(((((built adj in adj self adj test) or ("BIST")) with memory) and tester) and algorithm) and @ad<=20010616	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 15:31
—	8	second adj test adj algorithm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10:18
—	6	failed adj memory adj information	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10:20
—	631	failed adj memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10:20

BEST AVAILABLE COPY

-	3	failed adj memory with data adj structure	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10:25
-	62960	data adj structure	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10:26
-	14	data adj structure same memory adj test	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 11:05
-	3	data adj structure same BIST	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 11:12
-	763	BIST and algorithm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 11:13
-	3	BIST and algorithm with download	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 11:13
-	3219	redundant adj (cell or row or column) and memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 15:13
-	10	(redundant adj (cell or row or column) and memory) and stop near2 test	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 13:13
-	1	(multiple adj algorithm) and BIST	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 15:15
-	8	((multiple or plurality or two) adj algorithm) and BIST	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 15:19
-	5	((second) adj algorithm) and BIST	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 15:19
-	259	714/723.ccls. and @ad<=20010616	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 13:15
-	14783	"address field"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 13:05
-	2789	"address field" and "bit field"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 13:05

–	46	("address field" and "bit field") and BIST	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 13:06
–	29	(("address field" and "bit field") and BIST) and @ad<=20010616	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 13:14
–	47	failure near2 "data structure"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 13:13
–	40	(failure near2 "data structure") and @ad<=20010626	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 13:16
–	531	714/30.ccls. and @ad<=20010626	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 09:50
–	252	714/57.ccls. and @ad<=20010626	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 10:34
–	3152	((built adj in adj self adj test) or ("BIST"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 10:54
–	99	((built adj in adj self adj test) or ("BIST")) and (computer with (communication adj link))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 10:55
–	674	714/719.ccls. and @ad<=20010626	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 10:57
–	609	714/733.ccls. and @ad<=20010626	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 10:57
–	123	714/757.ccls. and @ad<=20010626	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 10:57
–	51	(714/723.ccls. and @ad<=20010626) and flag	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 10:58
–	395	714/7.ccls. and @ad<=20010616	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 12:30
–	396	714/7.ccls. and @ad<=20010626	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 12:31

C:\APPS\EAST\Workspaces\09892291.wsp

—	673	714/719.ccls. and @ad<=20010616	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 12:32
—	674	714/719.ccls. and @ad<=20010626	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 12:32
—	607	714/733.ccls. and @ad<=20010616	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 12:33
—	609	714/733.ccls. and @ad<=20010626	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 12:33
—	123	714/757.ccls. and @ad<=20010616	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 12:34
—	123	714/757.ccls. and @ad<=20010626	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 12:34
—	51	(714/723.ccls. and @ad<=20010616) and flag	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 12:35
—	51	(714/723.ccls. and @ad<=20010626) and flag	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 12:35
—	38	(((built adj in adj self adj test) or ("BIST")) and (computer with (communication adj link))) and @ad<=20010626	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 10:23
—	445	chip adj tester	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 14:08
—	160	(chip adj tester) and computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 14:08
—	121	((chip adj tester) and computer) and @ad<=20010626	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 14:09

BEST AVAILABLE COPY